

Message

**From:** [Nonresponsive based on revised scope]@WestonSolutions.com]  
**Sent:** 1/30/2020 4:10:01 PM  
**To:** R3 Clients [R3\_Clients@epa.gov]  
**CC:** Graybill, Eric [graybill.eric@epa.gov]; Wagner, Christine [Wagner.Christine@epa.gov]; [Nonresponsive based on revised scope]@WestonSolutions.com]; [Nonresponsive based on revised scope]@westonsolutions.com]; [Nonresponsive based on revised scope]@WestonSolutions.com]  
**Subject:** Submitted ARF 2.1 for Site: SHILOH CHURCH RD REMOVAL ACTION  
**Attachments:** Shiloh Church DW\_R3 ARF Feb 2020.pdf; metals\_CRQLs - Copy.xls; SOM02.4\_Target List\_CRQLs.xls

Good Morning All,

Attached is an analytical request form for drinking water samples to be collected at Shiloh Church scheduled for February 10 - 13, 2020. I have attached the CRQLs. Please let me know if you have any questions.

Thank you,

[Nonresponsive based on revised scope]

\*\*\*\*\*

This email will be sent to the following EPA staff as part of the email group R3\_Clients:

Burman, Jarmael <Burman.Jarmael@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>; Costa, Karen <Costa.Karen@epa.gov>;  
Costas, Robin <Costas.Robin@epa.gov>; Fortune, Warren <fortune.warren@epa.gov>; Ghimire, Aneesh <ghimire.aneesh@epa.gov>;  
Payne, Patrick <payne.patrick@epa.gov>; Poff, Kevin <Poff.Kevin@epa.gov>; Sassin, Pepa <Sassin.Pepa@epa.gov>

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.